

FITTING INSTRUCTIONS FOR RGH0024BK REAR HUGGER FOR HONDA CBR1000RR, SP & SP2 '17-



THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED BELOW. DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.

Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike

Kit Contents:

- 1 x HONDA HUGGER HUG0024 (WITH VELCRO ADHESIVE PADS IN POSITION).
- 2 x M5x25mm LONG BUTTON HEAD BOLTS.
- 1 x R&G LARGE BUBBLE STICKER.

TOOLS REQUIRED

- 3mm A/F METRIC ALLEN KEY.
- 5mm A/F METRIC ALLEN KEY.







PICTURE 1 PICTURE 2

FITTING INSTRUCTIONS

- Remove the two OEM bolts that are arrowed in picture 1 and remove the OEM hugger.
- Offer the R&G Hugger into position and align with the holes.
- Place the two bolts supplied through the two holes and loosely tighten into the threaded bosses on the swingarm, as shown in picture 2.
- Gently lift the left side of the hugger and remove the backing of both Velcro strips and press the hugger firmly into position. Do the same on the right side of the hugger.
- Tighten both bolts ensuring the hugger is central and clear of the wheel.

ISSUE 1 08/06/2017 (AR)

Digital copies of these instructions are available to download from www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in resellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



NOTICE DE MONTAGE POUR RGH0024BK GARDE BOUE ARRIERE HONDA CBR1000RR, SP & SP2 '17-



<u>LE KIT CONTIENT LES ARTICLES EXPOSES CI-DESSOUS, VERIFIER QUE TOUTES LES PIECES SOIENT PRESENTES AVANT DE PROCEDER AU MONTAGE.</u>

La façon dont le kit est emballé ne correspond pas forcément à la façon de monter les pièces sur la moto.

Le Kit Contient:

- 1 x GARDE BOUE HONDA HUG0024 (AVEC VELCRO ADHESIF EN POSITION).
- 2 x M5x25mm BOULONS.
- 1 x STICKERS EN CAOUTCHOUC R&G.

OUTILS REQUIS

- Clé Allen 3mm
- Clé Allen 5mm.







PHOTO 1 PHOTO 2

NOTICE DE MONTAGE:

- Enlever les 2 boulons d'origine indiqués sur la photo 1 et enlever le garde-boue d'origine.
- Monter le garde-boue R&G en position et aligner avec les trous.
- Placer les 2 boulons fournis dans les 2 trous et serrer dans les patrons filetés du bras oscillant, voir photo 2.
- Lever le côté gauche du garde-boue et enlever le bas des 2 bandeaux velcro, puis presser le gardeboue en position. Faire la même chose du côté droit du garde-boue.
- Serrer les 2 boulons en veillant à ce que le garde-boue soit au centre et espacé de la roue.

ISSUE 1 08/06/2017 (AR)

Notice disponible au téléchargement sur www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in resellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.